robot g coupe







EXTRA PRECISE



Cylindrical hopper (Ø 58 mm) ensuring a uniform cut for long

EXTRA LARGE



The XL hopper can accommodate with a whole cabbage or up to 15 tomatoes.



IMPROVED ERGONOMICS



New handle design requires less effort from operator

LATERAL EJECTION




EXTRA POWERFUL

Powerful 750-W commercial-grade motor designed to withstand intensive use

WIDE VARIETY OF CUTS



Extensive range of 50 discs with precision-sharpened **blades** for flawless cutting quality.



Vegetable Preparation Machine

CL 52 E Version



The Product Advantages

Processing capacity:

• Large hopper allowing bulky vegetables, such as lettuces and cabbages, to be processed.

Wide variety of cuts:

- Comprehensive range of 50 discs for slicing, ripple-cutting, grating and cutting into sticks, strips or dice (from 5x5x5 mm to 25x25x25 mm) with optimum quality and precision every time.
- 375 rpm single-speed appliance ideal for processing delicate foodstuffs, dicing or making french fries, as well as guaranteeing a wide variety of slicing, grating and julienne cuts.
- 375/750 rpm two-speed appliance successfully synchronizing speed and cutting precision.

Simple, sturdy design:

- All parts which come into contact with foodstuffs can easily be removed for cleaning, thus maintaining the highest standards of
- Induction motor for intensive use.



Number of covers:

up to 400 covers



Users:

Restaurants - Institutions - Caterers



In brief:

Strong, durable, and easy to clean, you will find no other machines to meet your specific day to day needs so precisely or with such apparent ease and efficiency.


Induction motor

- Industrial induction motor for heavy duty use guarantees durability and reliability.
- Motor built on ball bearings for silent running without vibration
- Direct drive motor:
 - Extra power
 - No complex drive system
- Stainless steel motor shaft



CE mark	Electrical data			Weight (kg)	
main	Speed (rpm)	Power (Watts)	Voltage* (Amp.)	Net	Gross
CL 52 Single-phase	375	750	230 V/1 50 Hz (5.3)	25.5	28
CL 52 Three-phase 1 speed	375	750	400 V/3 50 Hz (2.0)	25.5	28
CL 52 Three-phase 2 speed	375 & 750	900	400 V/3 50 Hz (2.7)	25.5	28

Dimensions (mm)				
А	В	С		
690	340	360		



* Other voltages available



HEAD OFFICE, FRENCH, EXPORT AND MARKETING DEPARTMENT:

Tel.: + 33 1 43 98 88 33 - Fax: + 33 1 43 74 36 26 email: international@robot-coupe.com

Robot Coupe U.K. LTD: Tel.: 020 8232 1800 - Fax: 020 8568 4966 2, Fleming Way, Isleworth, Middlesex TW7 6EU email: sales@robotcoupe.co.uk

Robot Coupe U.S.A.: Tel.: 1-800-824-1646 - Fax: 601-898-9134 email: info@robotcoupeusa.com - website: www.robotcoupeusa.com

www.robot-coupe.com

DISTRIBUTOR

Practical Products Pty Ltd 51 Paramount Drive Wangara WA 6065

Ph: 08 9302 1299

Email: sales@practicalproducts.com.au Website: www.practicalproducts.com.au

