

700XP & 900XP accessories



Thinking of you
Electrolux

Index

| | |
|---|-----------|
| Accessories for specific functions | 3 |
| Accessories for gas ranges | 4 |
| Accessories for electric ranges | 6 |
| Accessories for induction ranges | 7 |
| Accessories for oven ranges | 8 |
| Accessories for fry tops | 9 |
| Accessories for grills | 11 |
| Accessories for multifunctional cookers | 14 |
| Accessories for fryers | 15 |
| Accessories for pasta cookers | 20 |
| Accessories for bain maries | 24 |
| Accessories for braising pans | 24 |
| Accessories for boiling pans | 27 |
| Accessories for cupboards and open bases | 29 |
| Accessories for refrigerated bases | 31 |
| | |
| Accessories for installation | 32 |
| Covering panels | 32 |
| Handrails | 33 |
| Chimney upstands | 34 |
| Junction sealing kit | 35 |
| Stainless steel plinths | 36 |
| Cover panels for service duct | 37 |
| Installation on 100 mm concrete plinth | 38 |
| Installation on 150 mm concrete plinth | 39 |
| Support for bridge installation | 40 |
| Cantilever support | 41 |
| Wheels and flanged feet | 44 |
| Water columns | 45 |

Accessories for gas ranges



206260



206261



Burner single plates


| Range | 700XP | |
|----------|-----------|--------|
| PNC | 206260 | 206261 |
| Plate | smooth | ribbed |
| Material | cast iron | |

- ▶ Fry top mode for gas burners and simple service
- ▶ Use one on the 400 mm models, 2 on the 800 mm models and 3 on the 1200 mm models
- ▶ Can be installed on frontal burners only

921684



921685



Burner double zone plates

| Range | 700XP | |
|----------|-----------------|--------|
| PNC | 921684 | 921685 |
| Plate | smooth | ribbed |
| Material | stainless steel | |

- ▶ Fry top mode for 700 range gas burners and simple service
- ▶ Equipped with a removable grease collection container

206264



206170



Burner radiant plates

| Range | 700XP | 900XP |
|----------|-----------|----------------------|
| PNC | 206264 | 206170 |
| Notes | | only for 6kW burners |
| Material | cast iron | |

- ▶ Solid top mode for gas burners and simple service

Accessories for gas ranges




206363



Wok support

| | | |
|-----------------|-----------------|--|
| Range | 700XP and 900XP | |
| PNC | 206363 | |
| Material | stainless steel | |

► Wok pan support for open burners

206297
206298

Twin-burner stainless steel grids

| | | |
|-----------------|-----------------|--------|
| Range | 700XP | 900XP |
| PNC | 206297 | 206298 |
| Material | stainless steel | |

► Pans support for gas burners

206283



Ground support for 3-burner gas boiling top (391024)

| | |
|-----------------|-----------------|
| Range | 900XP |
| PNC | 206283 |
| Material | stainless steel |

► Lets the 3-burner top 391024 be used like a stockpot

Accessories for electric ranges



206168
206056



Cast iron bars

| | | |
|-----------------|-----------|--------|
| Range | 700XP | 900XP |
| PNC | 206168 | 206056 |
| Material | cast iron | |

- ▶ 2 cast iron bars to obtain 2 wider flat cooking zones
- ▶ 700XP for hot square plates only

Accessories for induction ranges



653596



Induction pans

| Range | 700XP and 900XP | | |
|-----------------|-----------------|-----------------|-----------------|
| PNC | 653596 | 653597 | 653598 |
| Material | stainless steel | aluminum | aluminum |
| Handle | stainless steel | stainless steel | stainless steel |
| Diameter | 200 mm | 240 mm | 280 mm |

653597



653598



910613



Induction wok-pans

| Range | 700XP and 900XP | | |
|-----------------|-----------------|-----------------|-----------------|
| PNC | 910613 | 911587 | 911588 |
| Material | mild steel | stainless steel | stainless steel |
| Handle | wood | stainless steel | - |
| Diameter | 360 mm | 360 mm | 360 mm |
| Height | 105 mm | 105 mm | - |

911587




911588



Accessories for oven ranges



164250




Chrome grid


| | | |
|-----------------|-----------------|--------------|
| Range | 700XP | 900XP |
| PNC | 164250 | |
| Oven | for static oven | |
| Size | 2/1 GN | |
| Material | chrome | |

- ▶ Chrome grid for appliances with gas and electric ovens
- ▶ 1 piece is included in standard delivery

206204



206243



Chrome grids

| | | |
|-----------------|-----------------|-----------------------|
| Range | 900XP | |
| PNC | 206204 | 206243 |
| Oven | for large oven* | for ventilated oven** |
| Size | 972x687 mm | 2/1 GN |
| Material | chrome | |

- ▶ * For codes 391015 and 391016; 1 piece is included in standard delivery
- ▶ ** 2 pieces are included in standard delivery

Accessories for fry tops



164255



206420

Scrapers

| | | |
|---------------|-----------------|--------------|
| Range | 700XP and 900XP | |
| PNC | 164255 | 206420 |
| Use on | smooth plate | ribbed plate |

- ▶ 1 or 2 pieces, according to the surface type, is included in the standard delivery for the 700XP and 900XP chrome plated models and are optional for mild steel 700XP models


206346



Grease container

| | |
|--------------|-----------------|
| Range | 700XP and 900XP |
| PNC | 206346 |

- ▶ Includes containers, guides, stainless steel drain pipe to convey the grease/oil from the fry top cooking surface to the container and front closing panel
- ▶ To be used with top and base



Accessories for fry tops



206296



Stopper

| | | | |
|----------|-----------------|--|--|
| Range | 900XP | | |
| PNC | 206296 | | |
| Material | stainless steel | | |

- ▶ Stopper for fry top with horizontal plate - used to keep the grease released by the food on the frying plate

206153



216153



206345



Water drains

| | | | |
|-----------------|--------|--------|---------|
| Range | 900XP | | |
| PNC | 206153 | 216153 | 206345 |
| Appliance width | 400 mm | 800 mm | 1200 mm |

Accessories for grills



206408



Grids for freestanding gas grills

| Range | 700XP | | 900XP | |
|-----------------|-----------------|--------|--------|--------|
| PNC | 206414 | 206410 | 206408 | 206404 |
| Appliance width | 400 mm | 800 mm | 400 mm | 800 mm |
| Material | stainless steel | | | |

- Equipped with cast-iron grids with drainage channels as standard

206415



Grids with drain channels for freestanding grills

| Range | 700XP | | 900XP | |
|-----------------|-----------------|--------|--------|--------|
| PNC | 206415 | 206411 | 206409 | 206405 |
| Appliance width | 400 mm | 800 mm | 400 mm | 800 mm |
| Material | stainless steel | | | |

- Equipped with cast-iron grids with drainage channels as standard

206418



Grids with drain channels for top grills

| Range | 700XP | |
|-----------------|-----------------|--------|
| PNC | 206418 | 206416 |
| Appliance width | 400 mm | 800 mm |
| Material | stainless steel | |

- Equipped with cast-iron grids with drainage channels as standard

Accessories for grills



206422



Scrapers

| | | |
|-----------------|-------------------------------------|-----------|
| Range | 700XP and 900XP | |
| PNC | 206421 | 206422 |
| Material | stainless steel with drain channels | cast iron |

- For cast iron grids with drainage channels it is included in standard delivery

Accessories for grills



206280



Water filling taps

| | | |
|------------------------|-----------------|--------|
| Range | 700XP and 900XP | |
| PNC | 206280 | 206281 |
| Appliance width | 400 mm | 800 mm |

► For gas and electric freestanding grills

Accessories for multifunctional cookers



921689



Lids

| | | |
|------------------------|-----------------|--------|
| Range | 700XP and 900XP | |
| PNC | 921689 | 921690 |
| Appliance width | 400 mm | 800 mm |

921690



► For gas and electric multifunctional cookers

164255



Scrapers


| | | |
|--------------|-----------------|-----------------------------|
| Range | 700XP and 900XP | |
| PNC | 164255 | 921694 |
| Note | scraper | blades with rounded corners |

921694



► Included in standard delivery

Accessories for fryers



960638



921608



Baskets for gas and electric fryers

| Range | 700XP | |
|--------------------|-----------------------|--------|
| PNC | 960638 | 921608 |
| Quantity | 2 | 1 |
| Size | half | full |
| Appliance typology | 2x5 and 7 lt electric | 7 lt |

► 960638 is included in standard delivery

921629



921691



921692



Baskets for gas and electric fryers

| Range | 700XP | | |
|--------------------|----------------------|--------------|------------------------------------|
| PNC | 921629 | 921691 | 921692 |
| Quantity | 1 | 1 | 2 |
| Size | full | full | half |
| Appliance typology | 12 lt electric (top) | 14 and 15 lt | 12 lt (freestanding), 14 and 15 lt |

► 921629 is included in standard delivery

921609



921642



Baskets for gas and electric fryers

| Range | 700XP | |
|--------------------|--------|--------|
| PNC | 921609 | 921642 |
| Quantity | 1 | 1 |
| Size | half | full |
| Appliance typology | 34 lt | 34 lt |

► 921609 is included in standard delivery

Accessories for fryers



206316



206196



Baskets for electric programmable fryer

| Range | 700XP | |
|----------|--------|--------|
| PNC | 206316 | 206196 |
| Quantity | 2 | 1 |
| Size | half | full |

921691



921692



Baskets for gas and electric fryers

| Range | 900XP | |
|--------------------|--------------|--------------|
| PNC | 921691 | 921692 |
| Quantity | 1 | 2 |
| Size | full | half |
| Appliance typology | 14 and 15 lt | 14 and 15 lt |

► 921691 is included in standard delivery

927223



927226




Baskets for gas and electric fryers

| Range | 900XP | |
|--------------------|--------------|--------------|
| PNC | 927223 | 927226 |
| Quantity | 2 | 1 |
| Size | half | full |
| Appliance typology | 18 and 23 lt | 18 and 23 lt |

► 927223 is included in standard delivery

Accessories for fryers



206235



206173

Sediment trays

| | | |
|---------------------------|-----------------|--------|
| Range | 700XP and 900XP | |
| PNC | 206235 | 206173 |
| Appliance typology | 15 lt | 23 lt |

► For freestanding V-shape fryers

921695



927227



Unclogging rods

| | | |
|---------------------------|-----------------|--------|
| Range | 700XP and 900XP | |
| PNC | 921695 | 927227 |
| Appliance typology | 15 lt | 23 lt |

► For drain pipe of freestanding V-shape fryers


921693



Oil filter for freestanding fryers

| | |
|---------------------------|----------------------------------|
| Range | 700XP |
| PNC | 921693 |
| Appliance typology | 7, 2x7, 14, 2x14, 15 and 2x15 lt |
| Material | stainless steel |

Accessories for fryers



206359




Filter for free-standing fryers

| | |
|--------------------|-----------------|
| Range | 900XP |
| PNC | 206359 |
| Appliance typology | freestanding |
| Material | stainless steel |

206209

206301



Extension for oil drainage

| | | |
|--------------------|-----------------|-----------------------------|
| Range | 700XP and 900XP | |
| PNC | 206209 | 206301 |
| Appliance typology | 23 lt | 15 lt freestanding electric |

► Compulsory when the fryer is installed on plinth

921696



960645



Deflectors

| | | |
|--------------------|-----------------|--------|
| Range | 700XP and 900XP | 900XP |
| PNC | 921696 | 960645 |
| Appliance typology | 15 lt | 23 lt |

- For floured products for freestanding V-shape fryers
- The deflector is lying on the inclined part of the well, in order to avoid the bread or flour released by the products to lie there and get burned.

Accessories for fryers



206201



Small opening hygienic lid for fryers

| | |
|--------------------|--------|
| Range | 900XP |
| PNC | 206201 |
| Appliance typology | 23 lt |

► Standard lid delivered as standard for the 23 litres fryer model.

Accessories for pasta cookers



921611



Baskets

| Range | 700XP | |
|--------------------|-----------------------|-----------------------|
| PNC | 921611 | 921610 |
| Quantity | 1 | 2 |
| Size | 350x200 mm | 170x220 mm |
| Appliance typology | 24.5 and 24.5+24.5 lt | 24.5 and 24.5+24.5 lt |

921610



► Baskets are not included as standard; only exception is programmable pasta cooker with automatic lifting (code 371100)

921619



Baskets

| Range | 700XP | |
|--------------------|-----------------------|--|
| PNC | 921619 | |
| Quantity | 2 | |
| Size | 105x350 mm | |
| Appliance typology | 24.5 and 24.5+24.5 lt | |

► Baskets are not included as standard; only exception is programmable pasta cooker with automatic lifting (code 371100)

921618



Baskets and support for baskets

| Range | 700XP | |
|--------------------|-----------------------|-----------------------|
| PNC | 921618 | 921606 |
| Quantity | 4 | 1 |
| Size | 105x160 mm | 230x350 mm |
| Appliance typology | 24.5 and 24.5+24.5 lt | 24.5 and 24.5+24.5 lt |
| Note | baskets | support |

921606



► Baskets are not included as standard; only exception is programmable pasta cooker with automatic lifting (code 371100)

Accessories for automatic pasta cookers



206312



206314



Baskets for automatic pasta cooker

| | | |
|---------------------------|------------------------|------------|
| Range | 700XP | |
| PNC | 206312 | 206314 |
| Quantity | 2 | 2 |
| Size | 115x163 mm | 105x350 mm |
| Appliance typology | automatic pasta cooker | |

Accessories for pasta cookers



206236



206237




Baskets

| Range | 900XP | |
|--------------------|-------------------------------------|-------------------------------------|
| PNC | 206236 | 206237 |
| Quantity | 1 | 1 |
| Size | 130x130 mm 6 fit in a 40 lt well | 135x310 mm 2 fit in a 40 lt well |
| Appliance typology | 40 and 40+40 lt | 40 lt |

206233



206238



Baskets and support for baskets

| Range | 900XP | |
|--------------------|-----------------------------|-----------------|
| PNC | 206233 | 206238* |
| Quantity | 1+2 | 1 |
| Size | 1x 1/3 GN + 2x135x310 mm | 295x505 mm |
| Appliance typology | 40 and 40+40 lt | 40 and 40+40 lt |
| Note | baskets | support |

► Code 206238 compulsory for: 206236, 206237, 206233

927216



927211



927210



Baskets

| Range | 900XP | | |
|--------------------|--------|--------|--------|
| PNC | 927216 | 927211 | 927210 |
| Quantity | 1 | 2 | 3 |
| Size | 1/1 GN | 1/2 GN | 1/3 GN |
| Appliance typology | 40lt | 40lt | 40lt |

Accessories for pasta cookers



927212



Round baskets

| | | |
|---------------------------|--------------|----------|
| Range | 900XP | |
| PNC | 927212 | 927213 |
| Quantity | 3 | 6 |
| Size | Ø 181 mm | Ø 135 mm |
| Appliance typology | 40 lt | 40 lt |

927213



927219



Supports for 40 lt pasta cookers

| | | |
|--------------|---|---|
| Range | 900XP | |
| PNC | 927219 | 960644 |
| Size | 290x500x115 mm | 330x535x10 mm |
| Note | grid support for round baskets (compulsory for 927212 and 927213) | support frame to hold 6 round baskets (alternative to 927219) |

960644



Accessories for pasta cookers



921607



206190



Lids and lid holder

| | | |
|---------------------------|--------------|--------------------|
| Range | 700XP | 900XP |
| PNC | 921607 | 206190 |
| Appliance typology | 24.5 lt | 40 lt |
| Note | lid | lid and lid holder |


206344



Energy Saving Device

| | |
|--------------|-------------------------------|
| Range | 700XP and 900XP |
| PNC | 206344 |
| Note | 1 per well needed |

► Used to preheat fresh water to refill the well, thus saving energy



Accessories for pasta cookers




206352

2 Lifting arms

Push-buttons for manual use or cooking cycle start

User interface (9 programs storable)



Programmable basket lifting unit

| | |
|------------------|--------------|
| Range | 700XP |
| PNC | 206352 |
| Dimension | 200 mm wide |

Available baskets



921610 - 2 baskets 170x220 mm
see page 20




921618 - 4 baskets 105x160 mm
see page 20

206353

3 Lifting arms

Push-buttons for manual use or cooking cycle start

User interface (9 programs storable)



Programmable basket lifting unit

| | |
|------------------|--------------|
| Range | 900XP |
| PNC | 206353 |
| Dimension | 200 mm wide |

Available baskets



927210 - 3 X 1/3GN baskets
see page 22



206236 - 1 basket 130x130 mm
see page 22

Accessories for bain maries



921622



Drilled false bottoms

| | | |
|------------------------|-----------------|--------|
| Range | 700XP and 900XP | |
| PNC | 921622 | 921623 |
| Appliance width | 400 mm | 800 mm |

Accessories for braising pans



922403



Trolleys with lifting and removable tank

| | | |
|-----------------|-----------------|--|
| Range | 700XP and 900XP | |
| PNC | 922403 | |
| Material | stainless steel | |

Accessories for boiling pans



921626



Basket

| | |
|---------------------------|------------------|
| Range | 700XP and 900XP |
| PNC | 921626 |
| Appliance typology | 60 lt |
| Note | 1-section basket |

► To make your boiling pan work as a pasta cooker!

925093



Basket

| | |
|---------------------------|------------------|
| Range | 900XP |
| PNC | 925093 |
| Appliance typology | 100 lt |
| Note | 2-section basket |

► To make your boiling pan work as a pasta cooker!

206123



Basket

| | |
|---------------------------|------------------|
| Range | 900XP |
| PNC | 206123 |
| Appliance typology | 150 lt |
| Note | 2-section basket |

► To make your boiling pan work as a pasta cooker!

Accessories for boiling pans



206279



Automatic depressurization kit

| | |
|---------------------------|-----------------|
| Range | 700XP and 900XP |
| PNC | 206279 |
| Appliance typology | 100 and 150 lt |

- ▶ For indirect heating boiling pans (double jacketed)
- ▶ If not installed: depressurization of the double-jacket must be done manually

927222



Water additive against corrosion

| | |
|---------------------------|---------------------------------|
| Range | 700XP and 900XP |
| PNC | 927222 |
| Appliance typology | 100 and 150 lt indirect heating |

- ▶ For indirect heating boiling pans
- ▶ 1 container of water additive against corrosion is already included in the standard appliances delivery

Accessories for cupboards and open bases



206350



Door for open base

| | |
|--------------|-----------------|
| Range | 700XP and 900XP |
| PNC | 206350 |

- ▶ Same for left and right-side door

206259



Electric heating kit for cupboard

| | |
|-----------------------|-------------------|
| Range | 700XP and 900XP |
| PNC | 206259 |
| Electric conn. | 230V 1ph 50/60 Hz |
| Power | 0.65 kW |

- ▶ To be fixed on the bottom of the base
- ▶ The base has to be with doors and can not be used as holding cabinet for food

206245



Central support

| | |
|--------------|--|
| Range | 700XP and 900XP |
| PNC | 206245 |
| Note | central support for installation of drawers and grids (on 800/1200 mm bases) and of doors (on 1200 mm bases) |

- ▶ Needed for installation of drawers and grid runners (1 piece for 800 mm)
- ▶ Needed for installation of drawers and grid runners (2 pieces for 1200 mm) or only doors (1 piece for 1200 mm)
- ▶ Needed if Powergrill or HP fry top are mounted on base

Accessories for cupboard and open bases



206244



Supports with side runners

| Range | 700XP | | 900XP |
|-------------|--|--|---|
| PNC | 206257 | 206244 | 206145 |
| Note | 2 supports with side runners for 4 GN 1/1 containers for open base 371112, 371113 and 371114 | 2 supports with side runners for 4 GN 1/1 containers for cupboards | 2 supports with side runners for 4 GN 1/1 containers for open base or cupboards |

206318



Drawers

| Range | 700XP | 900XP |
|-----------------|--------|--------|
| PNC | 206318 | 206334 |
| Quantity | 2 | 2 |
| Height | 100 mm | 100 mm |

Accessories for refrigerated bases



206351



Drawers

| | |
|----------|--------|
| Range | 700XP |
| PNC | 206351 |
| Quantity | 2 |

Installation accessories

Covering panels

216000
216134



216277
216278



Aesthetical side covering panels

| Range | 700XP | 900XP |
|--------------------|-----------------------------|-----------------------------|
| PNC | 216000 | 216134 |
| Appliance typology | freestanding 700 mm high | freestanding 700 mm high |
| PNC | 216277 | 216278 |
| Appliance typology | top 250 mm high | top 250 mm high |

► The code includes 2 side covering panels

206373



Rear covering panels

| Range | 700XP and 900XP | | | |
|-------|-----------------|--------|---------|---------|
| PNC | 206373 | 206374 | 206375 | 206376 |
| Size | 600 mm | 800 mm | 1000 mm | 1200 mm |

► For island installation to cover the back of the appliances

Installation accessories

Handrails

216047



Front handrails 50 mm depth

| | | | | |
|--------------|-----------------|--------|---------|---------|
| Range | 700XP and 900XP | | | |
| PNC | 216046 | 216047 | 216049 | 216050 |
| Size | 400 mm | 800 mm | 1200 mm | 1600 mm |

206307



Side handrails 50 mm depth

| | | |
|--------------|----------------------------------|----------------------------------|
| Range | 700XP | 900XP |
| PNC | 206307 | 216044 |
| Note | 2 pieces: right and left side | 2 pieces: right and left side |

216185



Portioning shelves 140 mm depth

| | | |
|--------------|-----------------|--------|
| Range | 700XP and 900XP | |
| PNC | 216185 | 216186 |
| Size | 400 mm | 800 mm |

Installation accessories

Chimney upstands

206304



Chimney upstands

| Range | 700XP and 900XP | | | | |
|-------|-----------------|--------|--------|---------|---------|
| PNC | 206302 | 206303 | 206304 | 206305 | 206306 |
| Width | 200 mm | 400 mm | 800 mm | 1000 mm | 1200 mm |

206400



Chimney grid nets

| Range | 700XP and 900XP | | | |
|-------|-----------------|--------|--------|--------|
| PNC | 206399 | 206400 | 206402 | 206403 |
| Width | 200 mm | 400 mm | 500 mm | 590 mm |

Installation accessories

Junction sealing kit

206086



Junction sealing kit

| | |
|--------------|--|
| Range | 700XP and 900XP |
| PNC | 206086 |
| Note | junction sealing kit to fill any possible gap between side-by-side appliances and prevent from any dirt infiltration |

Installation accessories

stainless steel plinths



Frontal kicking strips

| Range | 700XP and 900XP | | | | | |
|--------------------|-----------------|--------|--------|---------|---------|---------|
| PNC | 206174 | 206175 | 206176 | 206177 | 206178 | 206179 |
| Width | 200 mm | 400 mm | 800 mm | 1000 mm | 1200 mm | 1600 mm |
| Appliance typology | all* | all* | all* | all* | all* | all* |

► * Except 23 lt fryer and ref-freezer base

Frontal kicking strips

| Range | 900XP | |
|--------------------|--------------|------------------|
| PNC | 206203 | 880336 |
| Appliance typology | 23 lt fryers | ref-freezer base |

Side kicking strips

| Range | 700XP | 900XP | 900XP |
|--------------------|--------|--------|------------------|
| PNC | 206249 | 206180 | 880221 |
| Width | 700 mm | 900 mm | 900 mm |
| Appliance typology | all* | all* | ref-freezer base |


► * Except ref-freezer base

Kicking strips final effect



► Front and side kicking strips are aesthetical and hygienic elements, but they do not support the appliance's weight (that is the feet's task)


Cover panels for Service duct



Kit of panels for service duct


| | |
|--------------|--|
| Range | 700XP |
| PNC | 206248 |
| Note | kit of panels for service duct for installation top on base* |
| Size | 300x40x160 mm |

- ▶ Freestanding versions of 700XP are without service duct
- ▶ Service duct cover panels are not needed in case aesthetical cover panels (code 216000) are ordered



Kit of panels for service duct

| | |
|--------------|--|
| Range | 900XP |
| PNC | 206202 |
| Note | kit of panels for service duct for back to back installation |
| Size | 900x20x150 mm |




Kit of panels for service duct

| | |
|--------------|---|
| Range | 900XP |
| PNC | 206181 |
| Note | kit of panels for service duct for installation top on base or for freestanding units |
| Size | 300x40x160 mm |

- ▶ Service duct cover panels are not needed in case aesthetical cover panels (code 216134) are ordered

Installation on 100 mm concrete plinth



Special feet for concrete installation

| | |
|---------------------------|-----------------|
| Range | 700XP and 900XP |
| PNC | 206210 |
| Appliance typology | all* |

- ▶ *Except ref-freezer base
- ▶ 1 kit per appliance
- ▶ Ref-freezer base (code 727096) cannot be installed on plinth
- ▶ The concrete plinth must be 100 mm high in order to have the worktop at 900 mm height: special feet for concrete installation are not adjustable in height

Frontal kicking strips


| | | | | | | |
|--------------|-----------------|--------|--------|---------|---------|---------|
| Range | 700XP and 900XP | | | | | |
| PNC | 206146 | 206147 | 206148 | 206150 | 206151 | 206152 |
| Width | 200 mm | 400 mm | 800 mm | 1000 mm | 1200 mm | 1600 mm |



Side kicking strips

| | | |
|--------------|--------|--------|
| Range | 700XP | 900XP |
| PNC | 206265 | 206157 |

Installation on **150 mm concrete plinth**



Accessories for installation on 150 mm high concrete plinth are available on request.

- ▶ Special frame for installation
- ▶ Available for all appliances except for ref-freezer base (code 727096) and some limitations for freestanding fryers due to the oil collection basin which cannot be installed

Support for bridge installation


206137



Supports for bridge installation

| Range | 700XP and 900XP | | | | | |
|-------|-----------------|--------|---------|---------|---------|---------|
| PNC | 206154 | 206137 | 206138 | 206139 | 206140 | 206141 |
| Width | 400 mm | 800 mm | 1000 mm | 1200 mm | 1400 mm | 1600 mm |


► Only for top appliances



400/800 mm freestanding appliances
(it is recommended to use flanged feet
for 400 mm appliances)


Installation accessories

Cantilever support



Central supports with service duct

| Range | 700XP and 900XP | | | | |
|-------|-----------------|---------|---------|---------|---------|
| PNC | 206216 | 206217 | 206218 | 206219 | 206220 |
| Size | 2000 mm | 2400 mm | 2800 mm | 3200 mm | 3600 mm |



Wall type supports with service duct

| Range | 700XP and 900XP | | | | |
|-------|-----------------|---------|---------|---------|---------|
| PNC | 206211 | 206212 | 206213 | 206214 | 206215 |
| Size | 2000 mm | 2400 mm | 2800 mm | 3200 mm | 3600 mm |

- ▶ Special frame for installation
- ▶ Includes support frame, cover panels of central column, lower frontal cover panels of the support frame, top cover panel




Undercover panels

| Range | 700XP | | | |
|-------|--------|--------|--------|---------|
| PNC | 206323 | 206324 | 206325 | 206329 |
| Size | 200 mm | 400 mm | 800 mm | 1200 mm |

| Range | 900XP | | | |
|-------|--------|--------|--------|---------|
| PNC | 206330 | 206331 | 206332 | 206336 |
| Size | 200 mm | 400 mm | 800 mm | 1200 mm |

Installation accessories

Cantilever support bars and cover panels




Cover panel.

No need to order lower covering elements in this case
(codes 206258, 206295)

2 aesthetic side cover panels


| | | |
|-------|--------|--------|
| Range | 700XP | 900XP |
| PNC | 206326 | 206337 |

► Ask your local Electrolux Sales representative for the Cantilever Configurator



2 lower covering elements

| | | |
|-------|--------|--------|
| Range | 700XP | 900XP |
| PNC | 206258 | 206295 |




2 support bars for top units

| | | |
|-------|--------|--------|
| Range | 700XP | 900XP |
| PNC | 206315 | 206322 |

Installation accessories

Cantilever support



Floor fixing foot

| | |
|-------|-----------------|
| Range | 700XP and 900XP |
| PNC | 206226 |

Installation accessories

Wheels and flanged feet

206135



Wheels

| | | |
|------------------|-----------------------------|----------------------------------|
| Range | 700XP and 900XP | |
| PNC | 206135 | 880123 |
| Appliance | 4 wheels (2 with brakes) | 4 wheels for ref-freezer base |



Supports for hygienic installation on feet or wheels - cross-wise

| | | | | | |
|---------------------------|-----------------|--------|---------|---------|---------|
| Range | 700XP and 900XP | | | | |
| PNC | 206366 | 206367 | 206368 | 206369 | 206370 |
| Appliance typology | all* | all* | all* | all* | all* |
| Width | 400 mm | 800 mm | 1200 mm | 1600 mm | 2000 mm |

- ▶ *Except 6 burner range with large oven and 900XP fryers
- ▶ Not for top appliances
- ▶ Can be used for installation on feet or on wheels

Supports for hygienic installation on feet or wheels - length-wise

| | | |
|---------------------------|--|--------------|
| Range | 700XP and 900XP | |
| PNC | 206371 | 206372 |
| Appliance typology | 6 burner range with large oven 700XP or pastacookers | 23 lt fryers |

- ▶ Not for top appliances
- ▶ Can be used for installation on feet or on wheels
- ▶ Refrigerated base 700XP and 900XP can be installed on request

206136



Flanged feet

| | | |
|-----------------|-----------------|--|
| Range | 700XP and 900XP | |
| PNC | 206136 | |
| Quantity | 2 | |

Installation accessories

Water columns

206377



Flow meter

| | | |
|-------|--------|--------|
| Range | 700XP | 900XP |
| PNC | 206377 | 206378 |

- ▶ Top equipped with water column and liter counter

206289



Water column with swivel arm

| | |
|-------|-----------------|
| Range | 700XP and 900XP |
| PNC | 206289 |

- ▶ Cannot be installed on: Fryers, Chip scuttles, Bases (neutral, freezer, refrigerated)

206290



Water column extension

| | |
|-------|-----------------|
| Range | 700XP and 900XP |
| PNC | 206290 |

- ▶ Not needed when the water column inlet can be reached directly with the flexible water hose from the water net

Installation accessories

Water columns

206231



External support for water column

| | |
|-------|-----------------|
| Range | 700XP and 900XP |
| PNC | 206231 |

- ▶ To install the water column on the side or rear of the appliance

Excellence with the environment in mind

Electrolux Professional solutions perfectly match the customers' needs, including the areas of reliability, cost efficiency and sustainability. The products are the best in terms of quality – durability with low running costs. Some installations have been running for more than 40 years!

- All Electrolux Professional factories are ISO 14001-certified
- All Electrolux Professional solutions are designed for low water, energy and detergent consumption, and for low emissions into the environment
- All Electrolux Professional solutions are the best-in-class in terms of quality, for a long life cycle with the lowest life cycle costs. There are solutions still running after 40 years
- All Electrolux Professional solutions are ROHS and REACH-compliant and over 95% recyclable
- All Electrolux Professional solutions are 100% quality tested and all of the functions are singularly checked by expert technicians
- In the last five years, more than 70% of Electrolux Professional solutions have been updated with features that are always designed with the needs of customers and environmental considerations in mind
- Electrolux Professional sustains a specific energy saving program to reduce the energy consumption of its production plants



Thinking of you
Electrolux