

# robot coupe®



**FOOD PROCESSORS : BOWL CUTTER/VEGETABLE PREPARATION**  
R 401 • R 402 • R 402 V.V.

**NEW**



**RESTAURANTS - CATERERS**



## CUTTER-MIXER Function

All types of coarse and fine chopping, stuffings, emulsions, kneading and grinding.

**NEW**

Lid easy to position on bowl for quick and simple use.

An **all-metal motor base** for greater sturdiness.

The **R 401** has a single speed of **1 500 rpm**.

The **R 402** has 2 speeds. The **1 500 rpm speed is reserved for the cutter function**.

The **R 402 V.V.** has a speed range of **300 to 3 000 rpm**.



**4.5-litre capacity, stainless-steel bowl with handle.**

A **smooth blade** with a removable cap is supplied as a standard attachment.



Optional extras:

- **Serrated blade** assembly for all your grinding and kneading tasks.
- **Fine serrated blade** assembly for chopping parsley.



## VEGETABLE PREPARATION Function

**Large hopper** (area: 104 cm<sup>2</sup>) for the preparation of vegetables such as cabbage, celery, lettuce, tomatoes and so on.



For greater user comfort and speed of operation, **the lever can be used for automatically restarting the appliance**.


**Round deep hopper** (Ø 58 mm) designed for long or fragile vegetables and for **an outstanding cut quality**.



**Removable lid and stainless-steel bowl.**


The **R401** has a single speed of **1 500 rpm**. The **R402** has **2 speeds**. The **750 rpm speed is reserved for the vegetable preparation function** and allows users to dice vegetables and make french fries.

**Comprehensive range of stainless-steel discs** available for all your fruit and vegetable preparation tasks, including slicing, ripple-cutting, shredding, grating, cutting into sticks and, for the R402 and R402 V.V. models, dicing and making french fries.



The **R 402 V.V.** has a speed range of **300 to 1 000 rpm**.

The slower speeds are for cutting fragile foodstuffs, while the higher ones allow a faster output.





# Food Processors



## The Main Benefits:

### 2 machines in 1 !:

- A cutter bowl and a vegetable preparation attachment on the same motor base.

### Processing capacity :

- Large hopper feed head (area : 104 cm<sup>2</sup>) for processing large vegetables such as celeriac, cabbage, lettuce.
- Cylindrical hopper (Ø 58 mm) designed for long and fragile vegetables.
- 4 litres stainless steel cutter bowl for emulsifying, grinding, chopping, kneading.

### Wide range of cut :

- Complete collection of 28 stainless steel discs to satisfy all your requirements such as slicing, julienne, ripple cutting and grating as well as dicing and making French Fries for the R 402 and R 402 V.V. models.

### Robust:

- Industrial heavy duty induction motor for longer lifespan and greater reliability.
- The metal motor base, stainless steel cutting bowl and stainless steel vegetable preparations bowl guarantee durability



### Number of covers:

20 to 100



### Target:

Restaurants, Caterers.



### In brief :

Whichever model you choose, it will prove itself to be a sound investment, saving you time and money.




## The widest variety of cuts available today!



6 SLICERS


1 mm

6 mm



1 RIPPLE CUTTER


2 mm



10 GRATERS

1,5 mm

9 mm



6 JULIENNE DISCS

2 x 2 mm

8 x 8 mm



3 DICERS

8 X 8 X 8 mm

12 X 12 X 12 mm



2 FRENCH FRIES  
ATTACHMENTS

8 x 8 mm

10 x 10 mm



## Citrus press function



The citrus-press extracts the juice of oranges, lemons, grapefruits and others. it consists of a grey basket and cone.



## Blade assemblies



SMOOTH-EDGED BLADES



e.g. fine and coarse mincing, sauces, etc.

FINE SERRATED BLADES



e.g. fine mincing, sauces, etc.

SERRATED BLADES



e.g. kneading, grinding, etc.

## Slicer



1 mm  
2 mm  
3 mm  
4 mm

ref.  
27051  
27555  
27086  
27566

5 mm  
6 mm  
Ripple cut 2 mm

ref.  
27087  
27786  
27621

## Julienne / French fries\*



2 x 2 mm  
2 x 4 mm  
2 x 6 mm  
4 x 4 mm  
6 x 6 mm  
8 x 8 mm

ref.  
27599  
27080  
27081  
27047  
27610  
27048

french fries\* 8 x 8 mm  
french fries\* 10 x 10 mm

ref.  
27116  
27117

\* only R 402 and R 402 V.V.

## Grater



ref.  
1,5 mm 27588\*  
2 mm 27577\*  
3 mm 27511\*  
6 mm 27046  
9 mm 27632  
horseradish paste 0.7 mm 27078  
horseradish paste 1 mm 27079  
horseradish paste 1.3 mm 27130  
parmesan 27764  
röstis potatoes 27191

## Dicing\*



ref.  
8 x 8 x 8 mm 27113  
10 x 10 x 10 mm 27114  
12 x 12 x 12 mm 27298

\* only R 402 and R 402 V.V.

## Induction motor



- **Asynchronous heavy duty industrial motor** guarantees a longer life span and reliability
- Motor built on ball bearings for a silent running with no vibration.
- Direct drive motor :  
- **Extra powerful** : No belt device.
- **No maintenance** : No brushes.
- **Stainless steel motor shaft.**

CE  
Mark


### Characteristics

Weight (kg)



|            | Motor base                     | Cutter attachment             | Vegetable preparation attachment         | Diced vegetables and french fries | Power (Watts) | Intensity* (Amp.)    | Net | Gross |
|------------|--------------------------------|-------------------------------|--|-----------------------------------|---------------|----------------------|-----|-------|
| R 401      | Single-phase<br>1500 rpm       | 4.5 litres<br>Stainless Steel | Stainless Steel<br>Selection of 23 discs | NO                                | 700           | 230 V/1<br>50 Hz 5,7 | 13  | 16    |
| R 402      | Three-phase<br>750/1500 rpm    | 4.5 litres<br>Stainless Steel | Stainless Steel<br>Selection of 28 discs | YES                               | 750           | 400 V*/3<br>50 Hz 3  | 15  | 18    |
| R 402 V.V. | Single-phase<br>300 à 3000 rpm | 4.5 litres<br>Stainless Steel | Stainless Steel<br>Selection of 28 discs | YES                               | 1000          | 230 V/1<br>60 Hz 10  | 15  | 18    |

### Dimensions (in mm)

|            | A   | B   | C   | D   | E   | F   | G   | H   | I   | J   |
|------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| R 401      | 204 | 304 | 226 | 570 | 320 | 725 | 530 | 440 | 190 | 235 |
| R 402      | 224 | 304 | 226 | 590 | 320 | 725 | 530 | 440 | 190 | 235 |
| R 402 V.V. | 224 | 304 | 226 | 590 | 320 | 725 | 530 | 440 | 190 | 235 |



Vegetable preparation attachment  
common for all models



\*Other voltages available.

**robot coupe®**

Head Office, French, Export and Marketing Department:  
Tel.: + 33 1 43 98 88 33 - Fax: + 33 1 43 74 36 26

Robot-Coupe U.K. LTD: Tel.: 020 8232 1800 - Fax: 020 8568 4966  
2, Fleming Way, Isleworth, Middlesex TW7 6EU  
email: sales@robotcoupe.co.uk

Robot-Coupe U.S.A.: Ph.: 1-800-824-1646 - Fax: 601-898-9134  
info@robotcoupeusa.com

www.robot-coupe.com

## Ditributor

**Practical Products Pty Ltd**  
51 Paramount Drive Wangara WA 6065  
Ph: 08 9302 1299  
Email: sales@practicalproducts.com.au  
Website: www.practicalproducts.com.au

